

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	0	3 and (alarm\$3 or fault\$1 or false)	US-PGPUB; USPAT; EPO; JPO
6	BRS	L6	1	3 and noise	US-PGPUB; USPAT; EPO; JPO
7	BRS	L7	3299	(alarm\$3 or sound or beep\$1 of flag\$1) near3 (noise near3 detect\$3 or error\$6 near3 detect\$4)	US-PGPUB; USPAT; EPO; JPO
8	BRS	L8	48	(alarm\$3 or sound or beep\$1 of flag\$1) near3 (noise near3 detect\$3 or error\$6 near3 detect\$4) near3 compar\$6	US-PGPUB; USPAT; EPO; JPO
9	BRS	L9	1	"6266799".pn.	US-PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
5	2005/06/28 12:18			
6	2005/06/28 12:29			
7	2005/06/28 12:30			
8	2005/06/28 14:56			
9	2005/06/28 13:39			

	Type	L #	Hits	Search Text	DBs
10	BRS	L10	368	(high\$3 near3 compar\$6 or upper near3 compar\$6 or max near3 compar\$6 or maxim\$3 near3 compar\$6) same (low\$3 near3 compar\$6 or low\$3 near3 compar\$5 or min near3 compar\$5 or minim\$3 near3 compar\$4 or down\$4 near3 compar\$6) same (error\$5 near3 detect\$4 or error\$4 near3 process\$3 or error\$5 near3 calculat\$4 or alarm\$3 near3 detect\$4 or alarm\$4 near3 occur\$6 or noise near2 detect\$4 or noise near3 calculat\$4 or noise near2 determin\$6 or error\$4 near3 determin\$4 or noise near2 process\$4)	US-PGPUB; USPAT; EPO; JPO
11	BRS	L11	29	10 same ("vh" or high\$3 near2 voltage\$1 or upper near3 voltage\$1 or "vmax" or maxim\$4 near2 voltage) same ("vl" or low\$3 near3 voltage\$1 or minim\$3 near3 voltage\$1 or "vmin")	US-PGPUB; USPAT; EPO; JPO
12	BRS	L12	1	"6266799".pn. and (counter\$3 or frequenc\$3 near2 divid\$4 or programmabl\$3)	US-PGPUB; USPAT; EPO; JPO
13	BRS	L13	1	"6223089".pn.	US-PGPUB; USPAT; EPO; JPO
14	BRS	L14	1	"6223089".pn. and programmab\$5	US-PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
10	2005/06/28 13:44			
11	2005/06/28 14:57			
12	2005/06/28 14:31			
13	2005/06/28 14:12			
14	2005/06/28 14:12			

	Type	L #	Hits	Search Text	DBs
15	BRS	L15	0	"6266799".pn. and (frquenc\$3)	US- PGPUB; USPAT; EPO; JPO
16	BRS	L16	1	"6266799".pn. and (frequenc\$3)	US- PGPUB; USPAT; EPO; JPO
17	BRS	L17	644	(alarm\$3 or sound or beep\$1 of flag\$1 or fault\$1) near3 (noise near3 detect\$3 or error\$6 near3 detect\$4) same compar\$6	US- PGPUB; USPAT; EPO; JPO
18	BRS	L18	0	17 same ("vh" or high\$3 near2 voltage\$1 or upper near3 voltage\$1 or "vmax" or maxim\$4 near2 voltage) same ("vl" or low\$3 near3 voltage\$1 or minim\$3 near3 voltage\$1 or "vmin")	US- PGPUB; USPAT; EPO; JPO
19	BRS	L19	19	17 and ("vh" or high\$3 near2 voltage\$1 or upper near3 voltage\$1 or "vmax" or maxim\$4 near2 voltage) same ("vl" or low\$3 near3 voltage\$1 or minim\$3 near3 voltage\$1 or "vmin")	US- PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
15	2005/06/28 14:31			
16	2005/06/28 14:31			
17	2005/06/28 14:56			
18	2005/06/28 14:57			
19	2005/06/28 14:57			